Membrane Development and Its Hybrid Application for Oily Wastewater Treatment: A Review

Sri Martini^{*} & Erna Yuliwati

Chemical Engineering Department, Universitas Muhammadiyah Palembang, Jalan Jenderal Ahmad Yani 13 Ulu, Palembang, 30263, Indonesia.

Submitted: 18/1/2021. Revised edition: 22/2/2021. Accepted: 25/2/2021. Available online: 25/3/2021

ABSTRACT

The treatment of oily wastewater emitted from diverse industrial sources is significantly fundamental to keep environmental sustainability as well as human health. Membrane technology as one of the propitious methods has been used and developed in many ways for treating oil-containing water and wastewater. However, membrane fouling is an unavoidable occurrence regardless membrane materials including polymeric, ceramic, and metal based-membrane. In addition to this matter, hybridization system in membrane usage has attracted an increasing interest due to its benefit in decreasing fouling rate. In this paper, we begin with an overview of membrane application and its materials as well as its existence along with other existing treatment methods. Further, we specifically provide discussion into the application of hybrid membrane system in treating oily wastewater. According to the literature review which has been discussed here, conclusions then are properly drawn to highlight hybrid membrane systems that can amplify membrane resistance on fouling phenomenon.

Keywords: Membrane, fouling, hybrid system, oily wastewater, polymeric membrane

1.0 INTRODUCTION

It is undeniable that the development of industrial sector and an increasing number of global population in recent decades have been major contributors to the staggering amount of pollutedwater and wastewater streams [1, 2]. There are various pollutant particles contained in industrial oily wastewater including oil, dyes, heavy metals, and organic other and inorganic compounds that have been resulted in a huge amount from various manufacturing processes [3. 4]. Several industries such as petroleum refinery companies, cooking oil manufactures, pharmaceuticals, and cosmetic industries generate and discharge massive wastewaters into the environment threatening human health

and ecosystem as they are toxic, carcinogenic, and low biodegradable in nature [5].

Carcinogenic nonand biodegradable characteristics of the wastewater refer to its difficulty to naturallv biodegrade in open environment [6-13]. In order to mitigate the negative impacts of oily wastewater, the implementation of proper purification process known as wastewater treatment is a must. It will also prevent fatal environmental issues and allow water re-use [14]. In terms of oily wastewater, the existence of oilwater emulsion is the biggest challenge as it has stable nature making it removed difficult he from to wastewater [15]. It is classified as oil in water or complex emulsion. In this phase, water is the continuous phase

while oil is the disperse phase and vice versa while complex emulsion comprises tiny droplets of oil suspended in bigger droplets that are suspended in a continuous phase aforementioned [16].

To date, literature has showed several preferred methods used to treat oily wastewaters containing detrimental pollutant particles. They advanced oxidation processes are coagulation/flocculation, (AOPs). adsorption, biological techniques, and membrane technology [17]. AOPs have a particular ability to reduce the content of different organic pollutant eliminated through mineralization process [18, 19]. AOPs is characterized by hydroxyl radicals accountable for targeted organic pollutants removal. Oxidation process will transform those pollutants into water, carbon dioxide, and other harmless products [20-23]. However. costly chemical usage, sludge generation, and by-product formation have been long concerns to this option [24]. Biological method the existence involves of microorganisms to degrade pollutants concentration in the oily wastewater. Despite longer reaction time and wider treatment place needed that could be burdens of this method, it offers some advantageous points such as more environmentally friendly system and good removal efficiency [25]. Furthermore, adsorption method is also widely applied to treat oilv wastewaters. In this technique, pollutant particles named sorbates are trapped on the surface or pores of adsorbents [26]. There are various types of adsorbents such as activated carbon, metal oxide, carbon-based materials. and metal organic framework that can be applied for trapping targeted pollutants contained in contaminated water and wastewaters [7, 11, 27, 28]. Adsorption is simple reliable with less and energy consumption even though it is considered as a compliment of other main treatment process [29].

However, those techniques suffer from limited separation efficiency for wastewaters which particularly have high organic loading, complex operating operation in certain cases, and generating secondary pollutants with inefficient separation of emulsion droplet sizes less than 10 mm [17, 30]. Therefore, appropriate modification processes should also be applied on the adsorbent to increase its performance and overcome the shortfalls [4].

Recent literature then has shown that membrane technology has been preferred treatment mode to remove various pollutants as it has the ability to produce the highest purity level of treated wastewater. Compared to other methods. treatment membranes filtration has relatively higher removal efficiency related to prevalent contaminant in the oily wastewater [31, 321.

Membrane separation is not only a reliable way for oil removal, but also a dependable technique for heavy metals which remediation are mostly contained in industrial oily wastewater. There is also an increasing interest in the development of high pressure driven membranes such as reverse nanofiltration (NF) and osmosis (RO) for removing heavy metal [33].

Membrane is a semipermeable barrier managing the transport of particular substances between two adjunct phases. Therefore, membranes has an important function in many separation advanced processes, especially in industrial wastewater treatment plants. Practical operation, competitive flexible design, less chemicals and sludge production have been well known as membrane advantageous aspects [34]. However, its higher initial construction and

maintenance cost to keep membrane performance well also need particular concerns [35]. The implementation of membrane technology especially for oily wastewater treatment has had a challenging issue related to the higher chance of fouling rate phenomenon [36, 37].

Oil including compounds oil emulsion contained in wastewater take a large portion of the formation of blocking pores on membrane surface leading to flux decline over time [38]. It requires complex cleaning operation or physically. chemically As а consequence, both operational and capital expenditures would be increasing. Plain membranes including organic membranes have higher chances to experience membrane fouling as they have hydrophobic characteristics in nature related to its polymers that interact well with oil. Therefore, some further research tried to find some reliable solution to fix this problem bv increasing in the hydrophilic behaviour of the polymeric membrane by adding some additive materials or applying coating [39, 40]. Regarding membrane fouling, certain acidic and alkaline based chemicals are also often used to recover membrane ability filtering fluid or wastewater stream. However, it is worthy to underscore that frequent chemical cleaning will negatively impact health and environmental from the secondary pollutants like halogenated by-products, and shorten membrane lifespan due to material degradation [39]. Therefore, the other safer and more effective applying hybrid option such as membrane system or pre-treatment stage can be an alternative. This article aim is to cover scattered discussion related to membrane fouling. membrane material development, and the application of hybridization system in membrane usage particularly for oily wastewater treatment.

2.0 MEMBRANE FOULING

Membrane fouling taking place during filtration time reduces its function as advanced filter. To understand how the membrane experience fouling phenomenon, Hermia's models comprising complete blocking, standard blocking, intermediate blocking, and cake filtration models have been widely accepted and used [1]. For oily wastewater, the main concern of fouling occurrence is due to oil particles existence much beyond permissible standard level. From this point of view, Hermia's models could be applied to illustrate how oil particles, for example, could cause fouling. In cake formation model, fouling would take place when oil particles and other finite contaminants have bigger size than the average pore size of membrane forming accumulation building-up of the cake layer on the membrane surface. While intermediate blocking represents oil and other pollutant particles blocking membrane pores and creating intermediate fouling. In this model, they are assumed to have equivalent size between each other. Standard model relates to a decrease in pore diameter due to the non-uniformity of adsorption oil particles on the membrane pore. Eventually, complete blocking model confirms that oil particles with a bigger size than membrane pores would settle on the membrane surface leading to flux decline [38, 41].

As a separation process based on the presence of semi permeable layer, the principles of the membrane work are trapping the pollutant particles on membrane surface or pores within a specific size range and, at the same time, allowing particular substances to pass the membrane [42]. Its performance is mainly driven by pressure difference as an average value of inlet and outlet pressures named trans-membrane pressure generated from applied pressure or vacuum. While operating condition called cross flow velocity contributes to the performance of the membrane when it running [43, 44], other parameters such as temperature, pH, oil and salt concentration, in most cases, also play important roles in the removal efficiency level of targeted pollutants in the wastewater [45, 46].

These operating parameters may have different effects on different membrane types and materials, as well as the characteristics of water and wastewater sample passing membrane layer. According to their pore size, membrane can be categorized into microfiltration (MF), ultrafiltration (UF), nanofiltration (NF) and reverse osmosis (RO). Membrane can be fabricated and developed from various such as organic-based materials substances including certain polymer types, and inorganic-based materials including ceramic and metal [32, 34].

3.0 MEMBRANE MATERIAL

As explained in the previous section, membrane fouling mostly occurred due to complete blocking of pores through adsorption of continuous or disperse phases of the oil emulsion leading to the building-up of one or two phases of pollutant particles layer on the membrane surface supported by the phenomenon of concentration polarization [47, 48]. To manage this several studies then have issue. attempted some strategies including modifying feed characteristics and developing membrane materials by adding some additives substances [49, 50]. Modifying feed characteristics can be referred to the implementation of pre-treatment process to significantly decrease the concentration of oil droplets before it entering membrane filtration system while the second approach is limited by the high energy demand [51]. Developing membrane materials can be correlated to the aim to increasing membranes resistance on oil emulsion flowing on membrane pores or surface [52]. Membrane material development aiming to reduce fouling rate have been applied through several approaches such as adding certain additives to increase membrane material resistance on oily feed and conducting chemical and physical surface coating [2].

It is worth to reemphasise that conducting pre-treatment or hybrid membrane system has been proved as an efficient way to increase membrane feed quality especially for oily wastewater leading to increasing permeate flux [1, 37, 39]. To date, combining the efficiency and effectiveness of both pre-treatment and main treatment using sole membrane filtration is still a challenge. Therefore, some other studies have tried to fabricate membrane enriched by additives substances including graphite, ZnO, certain metals or minerals for salt, heavy metals or dyes reduction from contaminated water, and they reported that those additives could increase membrane ability by lowering fouling flux to some extent [40, 53-55]. In general, there are three basic materials used to fabricate membrane including polymeric. ceramic, and metallic based membrane that are widely available for various types of oily wastewater treatment.

3.1 Polymeric-based Membrane

Polymeric-based membranes have been popular due their to comparatively footprints, small varying range of operating conditions, cost-effectiveness. having superior organic solvent resistance, and ease of operating [2, 56]. There are a variety of synthetic polymers such as polysulfone, polyvinylidene fluoride, polyamide, polycarbonate resins, and polyelectrolyte complexes that can be employed as membrane material [36]. Phase inversion is the most widely used method to produce membrane. In this method, preparing a homogeneous polymer solution by dissolving the polymer in a suitable solvent is an initial work followed by inducing stage using an external or internal factor. While external factor includes nonsolvent-induced precipitation and thermally-induced phase separation, internal factor relates main to evaporation-induced phase inversion [57].

3.2 Ceramic-based Membrane

Despite their favourable characteristics for many challenging applications excellent demanding thermal. chemical, and mechanical stability, ceramic-based membranes need costly basic materials such as Al₂O₃, ZrO₂, SiO₂, and TiO₂ for their formation [58]. This could be an additional barrier for their en masse application in especially for industries, oily wastewater treatment. Therefore. researches have been started to observe the fabrication of low-cost ceramic membranes from natural mineral-based materials made from zeolite, fly-ash, kaolin, and others. It was believed that the valorisation of relevant natural mineral-based materials could produce low-cost ceramic membranes having excellent filtration performance [59].

3.3 Metallic-based Membrane

The increasing usage of metallic meshbased membranes represents their potentiality to become an alternative in industrial breakthrough supported by ultra-low pressure difference involving hydrostatic pressure as well as some particular additives [2]. The application of modified stainless-steel mesh membrane to purify engine oil contaminated water, for example, showed an excellent rejection rate for particles [60]. This metallic oil membrane observed was fabricated by depositing a rough superhydrophilic TiO₂ nanofibers layer onto the surface via spray deposition technique. Then it was followed by dispersed solution of TiO₂ nanofibers in ethanol while the coated mesh was sintered to achieve adequate integration of the nanofibers onto mesh surface. the The performance of membrane can be reliable regardless their materials and modification ways as stated in Table 1.

Table 1 Membrane materials and theirmodification modes for treating oilywastewaters

| Membrane material | Rejection | Ref. |
|---|-----------|------|
| composition/ | (%) | |
| modification mode | | |
| Polymer: PVDF-PDA- | 94 | [61] |
| SiO ₂ / Phase inversion | | |
| Polymer: PVDF- | 99.7 | [62] |
| NiCo-LDH/ | | |
| Polymerization- | | |
| hydrothermal | | |
| Polymer: PVC- | 97 | [63] |
| Bentonit/ mixed matric | | |
| Polymer: PVDF-PDA/ | 99.82 | [64] |
| polymerization | | |
| Ceramic: Kaolin | 98.52 | [65] |
| Ceramic: Quartz | 99.98 | [66] |
| Ceramic: Fly ash | 97 | [67] |
| Ceramic: Al ₂ O ₃ | 99.1 | [68] |
| Metal: Stainless stell- | 99 | [69] |
| TiO ₂ | | |
| Metal: Copper-Ag | 99.5 | [70] |
| Metal: Stainless steel- | 99 | [71] |
| SiO ₂ -CS | | |

4.0 HYBRID MEMBRANE APPLICATION FOR OILY WASTEWATER TREATMENT

It has been proved that the application of hybrid methods for treating raw industrial wastewaters including oily wastewaters would lead to a better output. Other than that, it could reduce the rate of certain machine breakage, therefore, hybridization system for treating wastewaters is a reliable option to get the highest quality of treated oily wastewater [72]. In this technique, two or more treatment methods are applied in sequence. This enables particular pattern disadvantageous features of individual method to be covered by the advantageous aspects of the other hybridized method and vice versa. In general, there are two main sections of a hybrid treatment system named pretreatment process and main treatment stage. It is also known as primary and secondary treatment processes [73]. Literature shows that membrane material is a prominent example of a method combining with pre-treatment option. Specifically, it can be described that by reducing oil and grease contents, dissolved, and suspended solid contained in the oily wastewater through pre-treatment step, membrane performance would be much better [36]. In the case of treating raw wastewater that has high organic and inorganic loading, membrane can be easily clogged leading to fast permeate decline. Therefore. flux the implementation of hybrid system for membrane system on oily wastewater treatment using various compatible methods such as coagulation/flocculation, adsorption or advanced oxidation could benefit membrane itself by reducing fouling rate and chemical cost. and lengthening membrane lifespan [39, 74-79].

As one of pre-treatment options, AOPs that cover several types of oxidation reaction can be effectively hybridized with membrane. This technique could be conducted by the application of ozone, Fenton, photoFenton and certain semiconductor agents such as TiO₂ and ZnO [19]. This process has shown its capability as hybrid partner for membrane including for treating oily wastewater derived from varying sources. A study constructed a hybrid system comprising ozonation and membrane bioreactor to treat water processaffected of toxic oil sands, and it reported a promising output [80]. Mild ozonation followed by a modified membrane bioreactor indicated its suitability for the treatment of contaminated water process. By having a proper dose of ozone substance, toxic materials could be eliminated to a satisfactory level. In addition, they also confirmed that ozone pre-treatment improved denitrification and removal of toxicity in membrane bioreactor system. The most important effect of the use of ozonation as pre-treatment stage on membrane performance relates to delayed fouling occurrence due to the alteration of microbial community structure. Other study also proposed that a hybrid UV/TiO₂ and ultrafiltration membrane was effective in treating oily wastewater derived from edible oil manufacturer [39]. It was reported that, compared to sole usage of ultrafiltration membrane to filter oily sample, hybrid TiO₂/UVultrafiltration membrane system significantly increased the permeation flux value by reaching oil removal efficiencies up to 86%. This hybrid system was further explored under varying values of transmembrane pressures (TMP) and cross flow velocities (CFV). They concluded that operating condition selected has affected on membrane performance to some extent. The application of hybrid Fenton/flocculation and ultrafiltration membrane for petroleum refinery wastewater treatment was also conducted [1]. This study reported there was an increasing permeate flux

up to 1.5-fold. Other than that, compared to sole UF membrane filtration, this study revealed that the permeate flux decline of hybrid membrane system experienced lower percentage from 51% to 28% due to pre-treatment process. In general, they all showed that membrane hybridization involving AOPs is a potential and reliable approach for recalcitrant organic matter removal in oily wastewater treatment.

The other work dealt with the implementation of hvbrid electrocoagulation and ceramic-based microfiltration membrane in batch mode for treating oily wastewater containing oil, grease along with particular metals like Na, Cr, Cu, Pb, and Ni [81]. They conducted electrocoagulation by considering influential working parameters such as current density, electrode distance, and initial pH. This work reported decreasing oil and grease and total dissolved solid concentration from 35 to 10.2 mg/L, and from 3230 to 2780 mg/L, respectively, in just 20 min. Ceramic membrane then removed the pollutant flocks generated during the electro-coagulation process. pre-treatment This has eased membrane work by supplying flowing wastewater with better quality.

When it comes to using dual membrane system, initial construction and maintenance cost often be additional barriers. However, it is worthy to investigate its usage in certain condition needing an excellent output. The application of hybrid tubular polymeric based ultrafiltration membrane and capillary membrane distillation for the treatment of bilge water containing oil could be an example [77]. Their study substantially reduced the content of oil to remarkably less than 5 ppm. To conclude, this utilisation of dual membranes showed complete removal achievement of oil pollutants as well as the remaining soluble substances in the feed.

An increasing membrane performance relates to a higher permeation flux. For this reason, a study investigated and found that the high amount of impurities in the raw petroleum oil refinery wastewater used as membrane feed was the major cause of low permeation flux [82]. They then emphasized the implementation of hybrid nano-porous membranepowdered activated carbon (NPM-PAC) to overcome this issue. The experimental work indicated NPM alone was less effective in terms of steady permeation flux by reaching 78.7 L/(m²h). Reversely, hybrid NPM-PAC with optimum PAC dosage could enhance permeation flux value almost double or up to 133.8 L/(m^2 h) , and also decreased steady fouling around 46.1%. These resistance phenomena dealt with higher porosity on membrane surface due to PAC addition [40]. Figure 1 represents the hybrid example of coagulation/flocculation and membrane design that could be used to increase membrane performance and lengthen its lifespan.

5.0 CHALLENGES AND FUTURE PERPECTIVE

The main concern on this review is the usage of membrane technology especially in hybrid system for treating oily wastewater along with membrane and membrane materials fouling mechanism during purifying its oily feed. Several aspects then can be further discussed as they can be considered as challenges that need reliable solution and explanation such as filtration test method and various nature of applied oily wastewaters.




Figure 1 An example figure of the application of hybrid membrane system

In terms of filtration test methods, two important factors including crossflow and gravity driven should be further involved. They need to be more universal method to enable universal comparison among membrane materials membrane and type regarding operating condition and feed loading level. Another issue that is both a challenge and a prospective part of membrane is how to fabricate economical membrane technology, started from material selection to its regeneration or recovery aspects. By solving this part, the image of membrane system as an expensive option for treating wastewater can be minimized without compromising its output quality.

6.0 CONCLUSION

In the last decades, membrane technology has been used in numerous applications modes in accordance with wastewater treatment including oilcompounds containing wastewater. The present review article explained the development of membrane usage along with its major problems and material sources. Other than that, this work examined varying hybrid membrane methods as an effort to treat oily wastewater and, at the same time, increase membrane performance. From the literature study, it can be observed that the presence of oil and grease and other organic inorganic particulate matter led to severe membrane fouling rate. Therefore, implementing hybrid system could help with reducing pollutant concentrate in the oily wastewater before it enters membrane system. Overall, regardless fouling occurrence which can be managed by applying hybrid technique, membrane separation is still considered as one of the most reliable oily wastewater treatment modes.

ACKNOWLEDGEMENT

The authors would like to thank Universitas Muhammadiyah Palembang for providing support to finish this paper project.

REFERENCES

- S. Martini, H. M. Ang, H. Znad. 2017. Integrated Ultrafiltration Membrane Unit for Efficient Petroleum Refinery Effluent Treatment. *Clean Soil Air Water*. 45: 1-9.
- [2] N. U. Barambu, M. R. Bilad, M. A. Bustam, K. A. Kurnia, M. H. D. Othman, N. A. H. M. Nordin. 2020. Development of Membrane Material for Oily Wastewater Treatment: A Review. Ain Shams Engineering Journal.
- [3] S. Mishra, L. Cheng, A. Maiti. 2021. The Utilization of Agro-

biomass/byproducts for Effective Bio-Removal of Dyes from Dyeing Wastewater: A Comprehensive Review. Journal of Environmental Chemical Engineering. 9: 104901.

- [4] R. Wahi, L. A. Chuah, T. S. Y. Choong, Z. Ngaini, M. M. Nourouzi. 2013. Oil Removal from Aqueous State by Natural Fibrous Sorbent: An Overview. Separation and Purification Technology. 113: 51-63.
- [5] R. V. Kumar, K. A. Ghosal, G. Pugazhanti. 2015. Elaboration of Novel Tubular Ceramic Membrane from Inexpensive Raw Materials by Extrusion Methods and Its Performance in Microfiltration of Synthetic Oily Wastewater Treatment. *Journal of Membrane Science*. 490: 92-102.
- [6] S. Afroze, T. K. Sen. 2018. A Review on Heavy Metal Ions and Dye Adsorption from Water by Agricultural Solid Waste Adsorbents. *Water Air Soil Pollut.* 229: 225.
- [7] R. Chakraborty, A. Asthana, A. K. Singh, B. Jain, A. B. H. Susan. 2020. Adsorption of Heavy Metal Ions by Various Low-Cost Adsorbents: A Review. International Journal of Environmental Analytical Chemistry. 1-38.
- [8] O. Abdelwahab, N. Amin, E. Z. El-Ashtoukhy. 2013. Removal of Zinc Ions from Aqueous Solution Using a Cation Exchange Resin. *Chemical Engineering Research* and Design. 91: 165-173.
- [9] M. Urgun-Demirtas, P. L. Benda,
 P. S. Gillenwater, M. C. Negri,
 H. Xiong, S. W. Snyder. 2012.
 Achieving Very Low Mercury
 Levels in Refinery Wastewater
 by Membrane Filtration. *Journal*

of Hazardous Materials. 215: 98-107.

- B. Yasemin, B. Zubeyde. 2006.
 Removal of Pb (II) from Wastewater Using Wheat Bran. *Environ Manage*. 78: 107-113.
- [11] M. T. Yagub, T. K. Sen, S. Afroze, H. M. Ang. 2014. Dye and Its Removal from Aqueous Solution by Adsorption: A Review. Advances in Colloid and Interface Science. 209: 172-184.
- [12] Z. Carmen, S. Daniela. 2012. Textile Organic Dves-Characteristics, Polluting Effects Separation/Elimination and Procedures from Industrial Effluents-A Critical Overview. In: Organic Pollutants Ten Years After The Stockholm Convention-Environmental And Analytical Update. InTech Rijeka, Croatia. 32373.
- [13] K. G. Pavithra, V. Jaikumar. 2019. Removal of Colorants from Wastewater: A Review on Sources and Treatment Strategies. Journal of Industrial and Engineering Chemistry. 75: 1-19.
- [14] S. S. Madaeni, H. Ahmadi Monfared, V. Vatanpour, A. Arabi Shamsabadi, E. Salehi, P. Daraei, S. Laki, S. M. Khatami. 2012. Coke Removal from Petrochemical Oily Wastewater Using γ-Al2O3 based Ceramic Microfiltration Membrane. Desalination. 293: 87-93.
- [15] S. Martini, S. Afroze, K. Ahmad Roni. 2020. Modified Eucalyptus Bark as a Sorbent for Simultaneous Removal of COD, Oil, and Cr(III) from Industrial Wastewater. *Alexandria Engineering Journal*. 59: 1637-1648.
- [16] M. M. Kasprzak, W. Macnaughtan, S. Harding, P. Wilde, B. Wolf. 2018.

Stabilisation of Oil-in-Water Emulsions with Non-chemical Modified Gelatinised Starch. *Food Hydrocolloids*. 81: 409-418.

- [17] S. Putatunda, S. Bhattacharya, D. Sen, C. Bhattacharjee. 2019. A Review on the Application of Different Treatment Processes for Emulsified Oily Wastewater. *International Journal of Environmental Science and Technology*. 16: 2525-2536.
- [18] J. Vergara-Sánchez, S. Silva-Martínez. 2010. Degradation of Water Polluted with Used Cooking Oil by Solar Photolysis, Fenton and Solar Photo Fenton, Water Science and Technology. A Journal of the International Association on Water Pollution Research. 62: 77-84.
- [19] S. Martini, H. T. Znad, H. M. Ang. 2014. Photo-assisted Fenton Process for the Treatment of Canola Oil Effluent. *Chemeca* 2014: Processing Excellence; Powering Our Future. 1519.
- [20] R. Andreozzi, V. Caprio, A. Insola, R. Marotta. 1999.
 Advanced Oxidation Processes (AOP) for Water Purification and Recovery. *Catalysis Today*. 53: 51-59.
- [21] J. M. Ochando-Pulido, M. D. Victor-Ortega, G. Hodaifa, A. Martinez-Ferez. 2015. Physicochemical Analysis and Adequation of Olive Oil Mill Wastewater After Advanced Oxidation Process for Reclamation by Pressure-Driven Membrane Technology. Science of The Total Environment. 503-504: 113-121.
- [22] J. A. Garrido-Cardenas, B. Esteban-García, A. Agüera, J. A. Sánchez-Pérez, F. Manzano-Agugliaro. 2020. Wastewater Treatment by Advanced

Oxidation Process and Their Worldwide Research Trends. International Journal of Environmental Research and Public Health. 17: 170.

- [23] S. Martini, H. T. Znad, H. M. Ang. 2014. Photo-assisted Fenton Process for the Treatment of Canola Oil Effluent. *Chemeca* 2014: Processing Excellence; Powering Our Future. Engineers Australia, Barton, ACT. 1519-1533.
- [24] M. A. M. Salleh, D. K. Mahmoud, W. A. W. A. Karim, A. Idris. 2011. Cationic and Anionic Dye Adsorption by Agricultural Solid Wastes: A Comprehensive Review. *Desalination*. 280: 1-13.
- [25] H. Xu, B. Yang, Y. Liu, F. Li, X. Song, X. Cao, W. Sand. 2021. Evolution of Microbial Populations and Impacts of Microbial Activity the in Anaerobic-Oxic-Settling-Anaerobic Process for Simultaneous Sludge Reduction and Dyeing Wastewater Treatment. Journal of Cleaner Production. 282: 124403.
- [26] A. Medhat, H. H. El-Maghrabi, A. Abdelghany, N. M. Abdel Menem, P. Raynaud, Y. M. Moustafa, M. A. Elsayed, A. A. Nada. 2021. Efficiently Activated Carbons from Corn Cob for Methylene Blue Adsorption. Applied Surface Science Advances. 3: 100037.
- [27] R. Arora. 2021. Nano Adsorbents for Removing the Waste/Ground Arsenic from Water for Energy and Environment Management - A Review. *Materials* Today: Proceedings.
- [28] A. M. Nasir, N. A. H. Md Nordin, P. S. Goh, A. F. Ismail.2018. Application of

Two-dimensional Leaf-shaped Zeolitic Imidazolate Framework (2D ZIF-L) as Arsenite Adsorbent: Kinetic, Isotherm and Mechanism. *Journal of Molecular Liquids*. 250: 269-277.

- [29] M. Bilal, J. A. Shah, T. Ashfaq, S. M. H. Gardazi, A. A. Tahir, A. Pervez, H. Haroon, Q. Mahmood. 2013. Waste Biomass Adsorbents for Copper Removal from Industrial Wastewater—A Review. *Journal of Hazardous Materials*. 263: 322-333.
- [30] A. Agarwal, U. Upadhyay, I. Sreedhar, S. A. Singh, C. M. Patel. 2020. A Review on Valorization of Biomass in Heavy Metal Removal from Wastewater. *Journal of Water Process Engineering*. 38: 101602.
- [31] C. Yang, W. Xu, Y. Nan, Y. Wang, Y. Hu, C. Gao, X. Chen. Fabrication 2020. and High Characterization of а Polyimide Performance Ultrafiltration Membrane for Dye Removal. Journal of Colloid and Interface Science. 562: 589-597.
- [32] X. Liu, B. Jiang, X. Yin, H. Ma,
 B. S. Hsiao. 2020. Highly Permeable Nanofibrous Composite Microfiltration Membranes for Removal of Nanoparticles and Heavy Metal Ions. Separation and Purification Technology. 233: 115976.
- [33] A. M. Nasir, P. S. Goh, M. S. Abdullah, B. C. Ng, A. F. Ismail. 2019. Adsorptive Nanocomposite Membranes for Heavy Metal Remediation: Recent Progresses and Challenges. *Chemosphere*. 232: 96-112.
- [34] J. Ravi, M. H. D. Othman, T. Matsuura, M. Ro'il Bilad, T. H.

El-badawy, F. Aziz, A. F. Ismail, M. A. Rahman, J. Jaafar. 2020. Polymeric Membranes for Desalination Using Membrane Distillation: A Review. *Desalination*. 490: 114530.

- [35] T. A. Saleh, V. K. Gupta. 2016. Nanomaterial and Polymer Membranes: Synthesis, Characterization, and Applications. Elsevier.
- [36] N. P. Cheremisinoff. 2001. Handbook of Water and Wastewater Treatment Technologies. Butterworth-Heinemann,
- [37] S. Martini. 2016. Development of an Efficient Integrated System for Industrial Oily Wastewater Treatment. Curtin University.
- [38] M. Abbasi, D. Mowla. 2014. Analysis of Membrane Pore-Blocking Models Applied to the MF of Real Oily Wastewaters Treatment Using Mullite and Mullite–Alumina Ceramic Membranes. Desalination and Water Treatment. 52: 2481-2493.
- [39] S. Martini, H. M. Ang. 2019. Hybrid TiO2/UV/PVDF Ultrafiltration Membrane for Raw Canola Oil Wastewater Treatment. *Desalination and Water Treatment*. 148: 51-59.
- [40] Q. Liu, S. Huang, Y. Zhang, S. Zhao. 2018. Comparing the Antifouling Effects of Activated Carbon and TiO₂ in Ultrafiltration Membrane Development. Journal OfColloid and Interface Science. 515: 109-118.
- [41] S.-K. Mah, C.-K. Chuah, W.P. Cathie Lee, S.-P. Chai. 2012. Ultrafiltration of Palm Oil–Oleic Acid–Glycerin Solutions: Fouling Mechanism Identification, Fouling Mechanism Analysis and Membrane Characterizations.

Separation and Purification *Technology*. 98: 419-431.

- [42] J. Georgy. 2006. Particles in Water: Properties and Processes. CRC.
- [43] T. Mohammadi, A. Esmaeelifar.
 2004. Wastewater Treatment Using Ultrafiltration at a Vegetable Oil Factory. *Desalination.* 166: 329-337.
- [44] T. Mohammadi, M. Kazemimoghadam, M. Saadabadi. 2003. Modeling of Membrane Fouling and Flux Decline in Reverse Osmosis During Separation of Oil in Water Emulsions. *Desalination*. 157: 369-375.
- [45] M. Abbasi, M. Mirfendereski, M. Nikbakht, M. Golshenas, T. Mohammadi. 2010. Performance Study of Mullite and Mullite–Alumina Ceramic MF Membranes for Oily Wastewaters Treatment. *Desalination.* 259: 169-178.
- [46] F. L. Hua, Y. F. Tsang, Y. J. Wang, S. Y. Chan, H. Chua, S. N. Sin. 2007. Performance Study of Ceramic Microfiltration Membrane for Oily Wastewater Treatment. *Chemical Engineering Journal*. 128: 169-175.
- [47] S. Mazinani, A. Al-Shimmery, Y. J. Chew, D. Mattia. 2019. 3D Printed Fouling-Resistant Composite Membranes. ACS Applied Materials & Interfaces. 11: 26373-26383.
- [48] J.-H. Zuo, P. Cheng, X.-F. Chen, X. Yan, Y.-J. Guo, W.-Z. Lang. 2018. Ultrahigh Flux of Polydopamine-coated **PVDF** Membranes Quenched in Air via Thermally Induced Phase Separation Oil/Water for Emulsion Separation. Separation and Purification Technology. 192: 348-359.

- [49] I. ElSherbiny, A. S. Khalil, M. Ulbricht. 2019. Influence of Surface Micro-Patterning and Hydrogel Coating on Colloidal Silica Fouling of Polyamide Thin-Film Composite Membranes. *Membranes*. 9: 67.
- [50] L. Ding, J. Gao, T.-S. Chung. 2019. Schiff Base Reaction Assisted One-Step Self-Assembly Method for Efficient Gravity-Driven Oil-Water Emulsion Separation. Separation and Purification Technology. 213: 437-446.
- [51] K. L. Jepsen, M. V. Bram, S. Pedersen, Z. Yang. 2018. Membrane Fouling for Produced Water Treatment: A Review Study from a Process Control Perspective. *Water*. 10: 847.
- [52] A. Hai, A. A. Durrani, M. Selvaraj, F. Banat, M. A. Haija. 2019. Oil-water Emulsion Separation Using Intrinsically Superoleophilic and Superhydrophobic **PVDF** Membrane. *Separation* and Purification Technology. 212: 388-395.
- [53] K. Baghdad, A. M. Hasnaoui.
 2020. Zeolite–cellulose Composite Membranes: Synthesis and Applications in Metals and Bacteria Removal. *Journal of Environmental Chemical Engineering*. 104047.
- [54] B. J. Deka, J. Guo, N. K. Khanzada, A. K. An. 2019. Omniphobic Re-entrant PVDF Membrane with ZnO Nanoparticles Composite for Desalination of Low Surface Tension Oily Seawater. Water Research. 165: 114982.
- [55] L. Y. Ng, A. W. Mohammad, C.
 P. Leo, N. Hilal. 2013. Polymeric Membranes Incorporated with Metal/Metal Oxide Nanoparticles: A Comprehensive

Review. *Desalination*. 308: 15-33.

- [56] A. Salahi, A. Gheshlaghi, T. Mohammadi, S. S. Madaeni.
 2010. Experimental Performance Evaluation of Polymeric Membranes for Treatment of an Industrial Oily Wastewater. *Desalination.* 262: 235-242.
- [57] N. Ismail, A. Venault, J.-P. Mikkola, D. Bouyer, E. Drioli, N. T. H. Kiadeh. 2020. Investigating the Potential of Membranes Formed by the Vapor Induced Phase Separation Process. *Journal of Membrane Science*. 597: 117601.
- [58] K. Suresh, G. Pugazhenthi, R. Uppaluri. 2017. Preparation and Characterization of Hydrothermally Engineered TiO 2-fly Ash Composite Membrane. *Frontiers of Chemical Science and Engineering*. 11: 266-279.
- [59] C. Li, W. Sun, Z. Lu, X. Ao, S. Li. 2020. Ceramic Nanocomposite Membranes and Membrane Fouling: A Review. *Water Research*. 175: 115674.
- [60] U. B. Gunatilake, J. Bandara.
 2017. Efficient Removal of Oil from Oil Contaminated Water by Superhydrophilic and Underwater Superoleophobic Nano/micro Structured TiO2 Nanofibers Coated Mesh. *Chemosphere*. 171: 134-141.
- [61] J. Cui, Z. Zhou, A. Xie, M. Meng, Y. Cui, S. Liu, J. Lu, S. Zhou, Y. Yan, H. Dong. 2019. **Bio-inspired** Fabrication of Superhydrophilic Nanocomposite Membrane Based on Surface Modification of SiO2 Anchored by **Polydopamine Towards Effective** Oil-Water Emulsions Separation. Separation and **Purification** Technology. 209: 434-442.

- [62] J. Cui, Z. Zhou, A. Xie, Q. Wang, S. Liu, J. Lang, C. Li, Y. Dai. 2019. Facile Yan. J. Preparation of Grass-Like Structured NiCo-LDH/PVDF Composite Membrane for Efficient Oil-Water Emulsion Separation. Journal of Membrane Science. 573: 226-233.
- [63] T. Ahmad, C. Guria, A. Mandal. 2018. Synthesis, Characterization and Performance Studies of Mixed-Matrix Polv (vinvl chloride)-bentonite Ultrafiltration Membrane for the Treatment of Saline Oily Wastewater. Process Safety and Environmental Protection. 116: 703-717.
- [64] F.-N. Meng, M.-Q. Zhang, K. Ding, T. Zhang, Y.-K. Gong. 2018. Cell Membrane Mimetic PVDF Microfiltration Membrane with Enhanced Antifouling and Separation Performance for Oil/Water Mixtures. *Journal of Materials Chemistry A*. 6: 3231-3241.
- [65] S. Emani, R. Uppaluri, M. K. Purkait. 2014. Cross Flow Microfiltration of Oil–Water Emulsions Using Kaolin Based Low Cost Ceramic Membranes. *Desalination*. 341: 61-71.
- [66] R. V. Kumar, A. K. Ghoshal, G. Pugazhenthi. 2015. Elaboration of Novel Tubular Ceramic Membrane from Inexpensive Raw Materials by Extrusion Method and Its Performance in Microfiltration of Synthetic Oily Wastewater Treatment. *Journal* of Membrane Science. 490: 92-102.
- [67] L. Zhu, M. Chen, Y. Dong, C. Y. Tang, A. Huang, L. Li. 2016. A Low-Cost Mullite-Titania Composite Ceramic Hollow Fiber Microfiltration Membrane

for Highly Efficient Separation of Oil-in-Water Emulsion. *Water Research.* 90: 277-285.

- [68] D. Zhang, G. Wang, S. Zhi, K. Xu, L. Zhu, W. Li, Z. Zeng, Q. Xue. 2018. Superhydrophilicity and Underwater Superoleophobicity TiO2/Al2O3 Composite Membrane with Ultra Low Oil Adhesion for Highly Efficient Oil-in-Water Emulsions Separation. *Applied Surface Science*. 458: 157-165.
- [69] Y. Xu, M. Liu, H. Li, A. Wali. 2017. Modified metal Mesh with Bipolar Wettability for Rapid and Gravity-Driven Oil-Water Separation and Oil Collection. *Surface and Coatings Technology*. 325: 661-672.
- [70] D. Li, R. Wu, J. Li, W. Li, Y. Zhang, H. She. 2016. Facile Fabrication of an Underwater Superoleophobic Mesh for Effective Separation of Oil/Simulated Seawater Mixtures. *RSC Advances*. 6: 77908-77912.
- [71] J. Liu, P. Li, L. Chen, Y. Feng, W. He, X. Yan, X. Lü. 2016. Superhydrophilic and Underwater Superoleophobic Modified Chitosan-Coated Mesh for Oil/Water Separation. Surface and Coatings Technology. 307: 171-176.
- [72] J. Wang, X. Tang, Y. Xu, X. Cheng, G. Li, H. Liang. 2020. Hybrid UF/NF Process Treating Secondary Effluent of Wastewater Treatment Plants for Potable Water Reuse: Adsorption Vs. Coagulation for Removal Improvements and Membrane Fouling Alleviation. *Environmental Research*. 188: 109833.
- [73] A. Ullah, S. Hussain, A. Wasim,M. Jahanzaib. 2020.Development of a Decision

Support System for the Selection of Wastewater Treatment Technologies. *Science of the Total Environment*. 731: 139158.

- [74] A. Babuponnusami, K. Muthukumar. 2014. A Review on Fenton and Improvements to the Fenton Process for Wastewater Treatment. Journal of Environmental Chemical Engineering. 2: 557-572.
- [75] L. M. Nieto, G. Hodaifa, S. Rodríguez, J. A. Giménez, J. Ochando. 2011. Degradation of organic Matter in Olive-Oil Mill Wastewater through Homogeneous Fenton-Like Reaction. *Chemical Engineering Journal.* 173: 503-510.
- [76] J. Coca-Prados, G. Gutiérrez, J. Benito. 2013. Treatment of Oily Wastewater by Membrane Hybrid Processes. In: J. Coca-Prados, G. Gutiérrez-Cervelló (Eds.). Economic Sustainability and Environmental Protection in Mediterranean Countries through Clean Manufacturing Methods, Springer Netherlands. 35-61.
- [77] M. Gryta, K. Karakulski, A. W. Morawski. 2001. Purification of Oily Wastewater by Hybrid UF/MD. Water Research. 35: 3665-3669.
- [78] M. Karhu, T. Kuokkanen, J. Rämö, M. Mikola, J. Tanskanen. 2013. Performance of a Commercial Industrial-scale UFbased Process for Treatment of Oily Wastewaters. Journal of Environmental Management. 128: 413-420.
- [79] S. Martini. 2019. Pengolahan Limbah Cair Minyak Kanola Menggunakan Kombinasi Adsorpsi dan Membran Ultrafiltrasi Polimer. *Kinetika*. 10: 36-41.
- [80] Y. Zhang, J. Xue, Y. Liu, M. G. El-Din. 2016. Treatment of Oil

Sands Process-Affected Water Using Membrane Bioreactor Coupled with Ozonation: A Comparative Study. *Chemical Engineering Journal*. 302: 485-497.

[81] M. Changmai, M. Pasawan, M.K. Purkait. 2019. Treatment of Oily Wastewater from Drilling Site Using Electrocoagulation Followed by Microfiltration. Separation and Purification *Technology*. 210: 463-472.

[82] M. V. Sarfaraz, E. Ahmadpour, A. Salahi, F. Rekabdar, B. Mirza. 2012. Experimental Investigation and Modeling Hybrid Nano-Porous Membrane Process for Industrial Oily Wastewater Treatment. *Chemical Engineering Research and Design*. 90: 1642-1651.